

Gator Utility Vehicles



Whatever you're planning, this year's John Deere Gator range has a model just for you. Which one depends on three factors: how fast you want to go, what terrain you want to drive on and how much you want to carry or tow. So browse this brochure for an overview – then visit your John Deere dealer for the details.

Work hard.

Work Utility Vehicles



CX



T-Series



HPX

Play harder.

Cross-Over Utility Vehicles



XUV 550



XUV 550 S4



XUV 855D

EXPERIENCE

THE DIFFERENCE

Contents



ProGator



XUV 855D S4



XUV 825i

Work Utility Vehicles

Gator CX..... 4–5

T-SERIES..... 6–7

Gator TS 8–9

Gator TX & TX Turf 10–11

Gator TE 12–13

Gator TH 6x4..... 14–15

Gator HPX..... 16–17

ProGator..... 18–19

Cross-Over Vehicles

XUV-SERIES..... 20–21

Gator XUV 550..... 22–23

Gator XUV 550 S4 24–25

Top-of-the-Range Features 26–27

Gator XUV 855D..... 28–29

Gator XUV 855D S4 30–31

Gator XUV 825i..... 32–33

Attachments..... 34–39

Product Specifications 40–43

Gator CX

Experience the Agility



The compact Gator CX is unbeatable for negotiating narrow paths and tight tracks or weaving your way through shrubs and bushes.

If space is at a premium but you don't want to sacrifice the diversity and quality you've come to expect from John Deere, this compact all-rounder is the perfect choice!

Wide Inside

The wide, low cargo box is made of a tough, durable composite structure.









Slim Outside

With perfect proportions of just 1.2 x 2.5 m, the Gator CX can squeeze through the narrowest of spaces.



CX

 Petrol Engine
 Displacement: 286 cc
 Speed: 24 km/h
 Rear Suspension: Triple-Rate Spring-Over-Shock
 Towing Capacity: 272 kg
 Cargo Capacity: 181 kg

- Compact Size
- Twin Bucket Seats
- Differential Lock
- 1** – High Flotation Tyres
- Handy Divider Slots and Tie-Down Attaching Points Help You Organise Your Cargo





Gator T-Series

Experience the Versatility



Looking for a versatile workhorse with easy loading and good ride quality? We have a whole series for you! Our Gator T-Series comes with petrol, diesel or electric power, four wheels or six and a host of features designed to make things easier every day.

Whichever model you choose, intuitive controls and high flotation tyres are always on board. And with the optional homologation kit, you can even use public roads.

Gator TS







Experience the Capacity



Let the Gator TS take the strain – powered by a 350 cc petrol engine combined with a surprisingly light footprint on turf.

But that’s not all. With its exceptional stability, intuitive operation, rugged steel cargo box and tiltable tailgate, the Gator TS delivers the ultimate in smooth efficiency!

TS

	Petrol Engine
	Displacement: 351 cc
	Speed: 32 km/h
	Rear Suspension: Two High-Flotation Tyres, Low Pressure Tyres (Solid Axle)
	Towing Capacity: 408 kg
	Cargo Capacity: 227 kg

- Comfortable Low Load Height
- Low Centre of Gravity
- Road Homologation (Optional)



Low Load Height

With a load height of just 63.5 cm, it’s easy to make full use of the 227 kg cargo capacity.



Ride in Style

The smooth engine and intuitive controls make driving a pleasure.

Gator TX & TX Turf

Experience the Peace and Quiet



Gently does it: our whisper-quiet Gator TX models tread softly, yet have all the power and capacity you need to get the job done safely. Both models have high flotation turf tyres and a payload capacity of 454 kg. The TX has a powerful 675 cc engine, while the TX Turf has 401 cc – plus a foot pedal start that's so practical, you'll wonder how you managed without it.

Tailgate

Pick-up style tailgate folds out to 90 degrees and down a full 150 degrees. The latch can be operated with one hand.




Flat Bed

Cargo box sides can be removed in minutes to convert the box to a flat bed.



TX

 Petrol Engine

 Displacement: 675 cc

 Speed: 32 km/h

TX Turf


 Petrol Engine

 Displacement: 401 cc

 Speed: 25 km/h

– Foot Pedal Start

Both:

 Rear Suspension:
Semi-Independent Coil-Over-Shock

 Towing Capacity: 454 kg

 Cargo Capacity: 272 kg

- Low Centre of Gravity
- Deluxe Cargo Box
- All-Wheel Disc Brakes
- Road Homologation (Optional)

Cargo Box Side Extension

Four-sided structure that increases cargo box side height to 610 mm and doubles the volume up to 920 litres.



Gator TE


Experience Zero Emissions




Golf courses, work premises, enclosed spaces... When quiet operation and zero emissions are the order of the day, the Gator TE really delivers. And thanks to impressive features like powerful batteries, rapid torque rise and a multi-functional Deluxe Cargo Box, you can go electric without compromising on power or functionality.

TE

 Electric Engine

 Speed: 24 km/h

 Rear Suspension:
Two High-Flotation Tyres,
Low Pressure Tyres (Solid Axle)

 Towing Capacity: 273 kg

 Cargo Capacity: 272 kg

- Super-Quiet Electric Operation
- Zero Emissions
- Road Homologation (Optional)



Whisper-Quiet Electric Power

Thanks to eight high capacity batteries, the Gator TE can work hard for 7–8 hours between charges – all with zero emissions and practically no noise.



Hard Worker

Don't be deceived by the Gator TE's quiet exterior. With solid, one-piece forged axles, a cast aluminium rear axle housing and a Deluxe Cargo Box for 272 kg, it's built for hard work in extreme conditions.

Gator TH 6x4

Experience the Muscle










How do you make light work of half-ton loads?
Easy: with the Gator TH 6x4 Diesel.

It's our answer to particularly weighty problems and can transport a full 726 kg (including passengers) with no problems at all. What's more, the extremely low load height really takes the weight off your shoulders!

With six wheels and a low centre of gravity, the Gator TH 6x4 keeps your feet firmly on the ground at all times. And because work can never go quickly enough, it always has enough energy to leap into action.

TH 6x4

	Diesel Engine
	Displacement: 854 cc
	Speed: 32 km/h
	4-Wheel Drive
	Rear Suspension: Two High-Flotation Tyres, Low Pressure Tyres (Solid Axle)
	Towing Capacity: 726 kg
	Cargo Capacity: 544 kg

- Low Load Height
- Road Homologation (Optional)

Full Power Ahead

The powerful yet economical diesel engine makes the Gator TH 6x4 a speedy mover even when the going gets tough.



Heavyweight Champion

With a cargo capacity of 544 kg, the Gator TH 6x4 is the strongest workhorse in the T-Series family.



Gator HPX

Experience the Traction



Love challenges? So does the Gator HPX. It has a massive 635 kg payload capacity, plus 'true' 4-wheel drive and semi-independent suspension to help you go where others can't. Even when fully loaded, ground clearance is good – and so is stability, thanks to the hydro-formed frame. To round things off, the powerful diesel engine enables speeds of up to 40 km/h. All in all, this is one Gator that needs to be kept on a tight rein!

HPX

⚡	Diesel Engine
🔧	Displacement: 854 cc
🏎️	Speed: 40 km/h
🚗	4-Wheel Drive
🌀	Rear Suspension: Coil-Over-Shock
🚚	Towing Capacity: 590 kg
📦	Cargo Capacity: 454 kg

- 1
- High-Strength Hydro-Formed Steel Frame
 - Standard Deluxe ROPS Canopy
 - Road Homologation (Optional)


Stop on a Sixpence

Fully hydraulic brakes ensure first-class braking performance.



Safety First

Your safety is a top priority at all times. That's why the Gator HPX is fitted with a ROPS canopy and comfortable automotive style 3-point seat belts as standard.



Pile it on

Heavy loads? No problem, thanks to a cargo capacity of 454 kg.










ProGator

Experience the Attitude



Only true pros lift the title – and only true pros have the power and agility to keep sports facilities and golf courses looking their best. With an impressive payload capacity of 1535 kg, the ProGator utility vehicle is a real heavyweight performer – yet thanks to power steering and a tight turning radius, it's agile and easy to drive too. Since flexibility is always an advantage, it qualifies for a whole range of disciplines. Try one and see!

ProGator

	Diesel Engine
	Displacement: 1115 cc
	Speed: 31 km/h
	4-Wheel Drive, Optional
	Rear Suspension: Dual Leaf Springs and Shocks
	Towing Capacity: 680 kg
	Cargo Capacity: 907 kg

- Tight Turning Radius
- Low Centre of Gravity
- 5-Speed Synchromesh Transmission
- Road Homologation (Optional)

Let the Water Flow!

That's no problem with the 750 litre capacity of the HD200 sprayer. And with a range of booms measuring 4.6 m, 5.5 m and 6.4 m, there's no shortage of choice, either!



A Master of its Craft

The TC125 turf collection system helps you pick up the pace when collecting aeration cores, sand, clippings and leaves.



Good Top Dressing is Half the Battle

The TD100 Top Dresser features a seamless conveyor belt up to 538 litre capacity. What's more, the hopper is made of galvanised steel.





Gator XUV Series

Experience the Excitement



With a whole lot of power and an attitude to match, the Gator XUV Series gives you all the benefits of a utility vehicle, plus an extra helping of fun and productivity.

Rain or shine, these incredible machines will put a smile on your face every time you go out. And they're so comfortable, you can work or play all day and still come back fresh and happy.








Gator XUV 550

Experience the Independence



The Gator XUV 550 cross-over utility vehicle is designed for customers who desire performance, comfort and 4-wheel drive for great value. With a powerful V-twin engine, fully independent suspension and wide attachment portfolio, this Gator provides an unparalleled balance of performance and work capability in the mid-duty class.

XUV 550

	Petrol Engine
	Displacement: 570 cc
	Speed: 45 km/h*
	4-Wheel Drive
	Fully Independent Suspension
	Towing Capacity: 499 kg
	Cargo Capacity: 181 kg

- Power and Acceleration
- Superior Terrain Capability
- Road Homologation (Optional)

*If equipped with EEC road homologation kit, max. speed is limited to 40 km/h (25 mph).

Fully Independent Suspension

Sets a new comfort standard and provides superior terrain capability while maintaining traction through any condition.



Acceleration and Braking Capacity

The powerful V-twin engine allows you to accelerate briskly and work more efficiently, whilst the four-wheel hydraulic disc brakes offer sufficient braking power at all times.



Fully Enclosed CVT Transmission

High engine and CVT air intakes keep water and debris out and prevent overheating.



Operator Comfort

The car-style dashboard, foot pedal parking brake and ample storage capacity make the XUV 550 a pleasure to drive.










Gator XUV 550 S4

Experience the Company



Choose the S4 version, and up to four people can enjoy your Gator XUV 550. Best of all, the rear bench folds down in seconds when you need to carry longer items or more equipment.

XUV 550 S4

	Petrol Engine
	Displacement: 570 cc
	Speed: 45 km/h*
	4-Wheel Drive
	Fully Independent Suspension
	Towing Capacity: 499 kg
	Cargo Capacity: 181 kg

- Multi Passenger Capacity
- Power and Acceleration
- Superior Terrain Capability
- Road Homologation (Optional)

*If equipped with EEC road homologation kit, max. speed is limited to 40 km/h (25 mph).

Cargo Box

The dent and rust-resistant composite cargo box offers a carrying capacity of 181 kg, a single handled tailgate as well as multiple tie-down points on the outside and the inside.




More Carrying Capacity

The rear bench of the XUV 550 S4 can also be folded down to a convertible cargo rack so that pipes, ladders and long items can be carried safely.



Top-of-the-Range Features

Gator XUV 855D, XUV 855D S4 & XUV 825i



Top Models. Top Features.

With their advanced engineering and impressive specs, our hard-working XUV 855D, XUV 855D S4 and XUV 825i models will set your pulse racing before you even turn the key. And when you do, hold on tight. Because with acceleration and road-holding like this, you're in for serious fun every time you travel – even with a full cab (XUV 855D, XUV 825i) or cargo box.

Descent Control

What goes up must come down – safely and steadily, thanks to standard engine braking.

Power Steering

Power steering is standard on the XUV 825i, XUV 855D S4 and XUV 855D.






Digital Display


From speed, RPM and engine temperature to fuel level, 4WD status and the time of day, one display tells you everything you need to know.

1 True On-Demand 4-Wheel Drive

Switch between a perfectly turf-friendly traction mode to a locked rear differential to On-Demand True 4WD for maximum traction for the most challenging terrain (a sophisticated electronic interlock engages to prevent all power from being transferred to a wheel that has lost all traction).



XUV-Series



Competition

2 Steel Frame

Keep in shape! The robust steel frame is extremely resilient and provides all the stability you need.

3 Fully Independent Suspension

Impressive front and rear suspension travel sets a new comfort standard and the sway bar on the rear axle reduces body roll – even in extreme conditions. Suspension can easily be adjusted for varying payloads.



4 Fully Enclosed CVT Transmission

Want more speed and comfort combined with even lower consumption? Two-range CVT transmission requires no shifting and delivers superior efficiency from low-speed pulling to fast top speed.



5 Automotive-Style Braking System

Massive, twin piston 8.25" hydraulic disc brakes bring you to a stop. Ultimately, the system delivers incredible responsiveness at all times.

6 Deluxe Cargo Box

The Deluxe Cargo Box keeps your load safe and secure, even when the going gets rough.



Gator XUV 855D








Experience the Satisfaction



When you work hard all day, it's good to unwind now and then. And with the XUV 855D, the fun starts the moment you climb aboard.

Tough going and heavy loads? The 854 cc diesel has power to spare. Tricky terrain and gradients? Take them in your stride with true on-demand 4-wheel drive, fully independent suspension and power steering. In fact, the only hard bit is deciding which seats, colour, tyres and customisation options you prefer.

XUV 855D

 Diesel Engine
 Displacement: 854 cc
 Speed: 51 km/h*
 4-Wheel Drive
 Fully Independent Suspension
 Towing Capacity: 680 kg
 Cargo Capacity: 454 kg

- Power and Acceleration
- Superior Terrain Capability
- Power Steering
- Road Homologation (Optional)

*If equipped with EEC road homologation kit, max. speed is limited to 40 km/h (25 mph).

Stop at Nothing

Power through difficult terrain with confidence, thanks to true on-demand 4-wheel drive.



Quality Time

Arrive with a smile! On-road performance is so good, you'll wish the journey was longer.



Choose your Colour

The Gator is also setting new standards in design. Whether in classic green and yellow or refined black and olive, make your choice!



Works as Hard as You Do

With its rugged design and 635 kg payload capacity, the XUV 855D earns its keep all year round.



Gator XUV 855D S4








Experience the Expedition



Want to share the outdoor fun with your friends? The new XUV 855D S4 is the ideal choice. The comfortable cab seats four, yet still leaves plenty of room for the gear – and the spoils, if you happen to be hunting or fishing.

Available in olive and black only, the XUV 855D S4 has the same premium specs as the 2-seater XUV 855D on the previous pages.

XUV 855D S4

	Diesel Engine
	Displacement: 854 cc
	Speed: 51 km/h*
	4-Wheel Drive
	Fully Independent Suspension
	Towing Capacity: 680 kg
	Cargo Capacity: 454 kg

- Power and Acceleration
- Superior Terrain Capability
- Power Steering
- Road Homologation (Optional)

*If equipped with EEC road homologation kit, max. speed is limited to 40 km/h (25 mph).

A Ride to Remember

With a powerful diesel engine, hydraulic disc brakes and power steering, this full 4-seater is surprisingly nimble and quick.



Plenty of Space for Four

Four seats. True 4-wheel drive on demand. And fully independent suspension for a smooth, comfortable ride.



Convertible Rear Bench

The rear bench folds down in seconds when you need to carry long items.










Gator XUV 825i

Experience the Power



A responsive 812 cc petrol engine for up to 71 km/h. Serious hauling capacity in any terrain. On-demand true 4WD, fully independent suspension and power steering to keep you in command at all times. Whatever the challenge, the XUV 825i is raring to go.

XUV 825i

	Petrol Engine
	Displacement: 812 cc
	Speed: 71 km/h
	4-Wheel Drive
	Fully Independent Suspension
	Towing Capacity: 680 kg
	Cargo Capacity: 454 kg

- Best Ride of any Gator
- Power Steering

Powered by Adrenaline

71 km/h top speed and hydraulic disc brakes for fast, safe transport.



Short Cut? Why Not?

Standard power steering – for exceptional comfort and control.



Hauling Power

Haul even heavy, bulky loads in the deluxe cargo box.



Access all Areas

Overcome all obstacles with on-demand true 4-wheel drive and high ground clearance.



Attachments

For an Overview of All Attachments, Please See Page 38/39

Cabs / Canopies / OPS



Deluxe Canopy

Certified to the Society of Automotive Engineers (SAE) requirements to provide roll-over protection. Includes 3-point seat belts and can be enhanced to a full comfort cab.



Standard OPS

Certified to provide roll-over protection and includes 3-point seat belt.




Windscreen

Easy to attach, height-adjustable tinted acrylic windscreen to protect the operator from dust and wind.



Plastic Door

The robust, lightweight plastic doors provide extra safety for occupants, and keep rain and mud out.



Nets

The detachable nets offer increased safety and protection. (Standard on all XUVs and HPX)

Soft Roof

The tough fabric roof fits snugly over the OPS in seconds to protect occupants, seats and controls from the elements.

Seats

Ride in style and comfort with our high back or bucket seats. The choice is yours!

Safety

Your safety is our top priority. That's why every Gator has comfortable car-style 3-point seat belts as standard.

Sport Seat



High-Back Bucket Seats



Bench Seat



Protection



Heavy Duty Brush Guard

Strong bumper-mounted heavy duty brush guard provides a modern and aggressive appearance.



Rear Bumper

The rear bumper offers stylish, heavy duty rear protection to the vehicle.



Cargo Box Fender Guard

The cargo box fender guard offers enhanced styling in addition to heavy duty protection to the side of the cargo box.



Front Bumper

Strong, front mounted, newly designed bumper with brush guard creates a modern and aggressive appearance for all Gator T-Series models.




Fender Guards

Heavy duty fender guards not only prevent damage from side impact but also create a modern and aggressive appearance.



Front Bonnet Rack

Expand the work capabilities of your Gator with the addition of the front bonnet rack. The rack easily mounts to the required front brush guard.



Skidplate

The polyethylene skid plate slides over obstacles easily while protecting your frame and power train from dirt, debris and damage.

Homologation and Lights



EEC Road Homologation

Equipped with the EEC road homologation kit, your Gator utility vehicle can be used in traffic on public roads.



Deluxe Light Kit

The deluxe light kit includes brake lights, tail lights, turn signals and four-way flashers.



Hella Performance Spotlights

Two 55 watt lights mounted on the heavy duty brush guard to increase the illuminated area.

Attachments

Cargo Box



Cargo Box Powerlift

Easily lower and raise the cargo box from the seat with the dash mounted switch. Electro-mechanically activated, rated for full box capacity.

Cargo Box Side Wall Extension

The four-sided structure easily increases the cargo box side height to 610 mm and the volume to 920 litres.



Cargo Box Divider

The Deluxe cargo box can be equipped with optional dividers, that can be positioned at the front or rear and released quickly without any tools.



Cargo Box Tool Rack

The side tool rack enables you to maximise the use of the cargo box by carrying long-handled tools. The holders are adjustable, allowing you to carry a wide array of items in the racks.

Other Accessories



Speedometer

Electronic speedometer and voltmeter analogue gauges integrated in the instrument panel. Good for precision tasks.



Floor Mat

Washable mat protects the floor and minimises dust, debris and noise in the operator station.



Winch

- For loads up to 1134 kg
- Designed for moving logs, pulling out bushes with control or tension fences
- Increased efficiency and improved load distribution due to quiet, three-stage planetary gear design
- Mounts front and rear

Blades



66 Front Blade (1.68 m)

- Snow removal / light material blading
- 5-position manual angling
- Winch operated (requires additional attachments)
- Two adjustable skid shoes
- Replaceable cutting edge



72 Front Blade (1.83 m)

- Snow removal / light material blading
- 3-position manual angling
- Electro-hydraulic lift system
- Quick attach system
- Two adjustable skid shoes
- Replaceable cutting edge



72 V-Front Blade (1.83 m)

- Snow removal / light material blading
- 3-position manual angling
- Electro-hydraulic lift system
- Quick attach system
- Two adjustable skid shoes
- Replaceable cutting edge

Tyres and Hitch



Cayman LS (Lawn & Street)

- High level of comfort
- Smooth running
- Low wear on hard surfaces



Turf

- Gentle to the turf
- Very good traction on damp surfaces
- High level of comfort
- Low wear on hard surfaces



Directional Turf

- Minimal impact on terrain
- Longevity on hard surfaces
- 4-ply rating for excellent puncture resistance



Cayman AT (All Terrain)

- Universal all-round tyres for on and off-road use
- Good traction off-road
- Low ground pressure



Cayman KT (Knobby)

- Universal all-round tyres preferably for off-road use
- Good traction off-road
- Low ground pressure



Cayman XT (Extreme Terrain)

- Outstanding traction off-road
- Puncture resistant
- Can also be used on-road



HPAP

- (High Performance All Purpose)
- Optimal traction
- Minimal impact on terrain



HPAT (Aggressive Tread)

- Aggressive off-road tyres
- Heavy duty tread
- Maximum wheel grip off-road



Terra-Hawk AT (All Terrain)

- Universal all-round tyres for on and off-road use
- Good traction off-road
- Low ground pressure



Ancla M-T (Extreme Terrain)

- Aggressive off-road tread pattern
- Superior traction in mud, without sacrificing ride comfort
- 4-ply rating for excellent puncture resistance



Maxxis Big Horn 2.0 Radials

- Radial tyre construction provides better shock absorption
- Alloy rims for maximum performance and look
- Non-directional tread pattern provides predictable cornering and claws up roots and rocks
- 6-ply rating for maximum puncture resistance and lifetime



Drawbar Hitch

Can be mounted in the standard rear receiver hitch or the optional front receiver hitch for towing trailers.

Attachments

Find what You're Looking for Here

	CX	TS	TX	TX Turf	TE	TH	HPX
Cabs / Canopies / OPS							
Deluxe Canopy (Includes Roof)							■
Standard OPS (Operator Protective Structure)							□
Nets							■
Plastic Half Doors							□
Full Glass or Vinyl Doors		□	□	□	□	□	□
Sun Canopy	□						
Standard OPS Poly Roof							□
Standard OPS Soft Roof							□
Front Windshield / Windscreen	□	□	□	□	□	□	□
Standard OPS Half Windshield							
Rear Window / Screen Panel		□	□	□	□	□	□
Exterior Mirrors		□	□	□	□	□	■*
Windshield with Wiper		□	□	□	□	□	□
Windshield Washer		□	□	□	□	□	□
Heater						□	□
Visor		□	□	□	□	□	□
Interior Light		□	□	□	□	□	□
Work Lights Front (2)		□	□	□	□	□	□
Work Light Rear (1)		□	□	□	□	□	□
Electrical Kit		□	□	□	□	□	□
Seats							
High-Back Bucket Seats	■	■	■	■	■	■	■
Bench Seat							
Sport Seat							
Adjustable Driver Seat		□	□	□	□	□	■
Homologation							
EEC Road Homologation		□	□	□	□	□	□
Homologation Canopy					□	□	
Lights							
Beacon Light		□	□	□	□	□	□
Deluxe Light Kit	□	□	□	□	□	□	□
Brake / Tail Light Kit		□	□	□	□	□	□
Hella Performance Spotlights							□
Standard OPS Switch Bank							■
Protection							
Front Bumper	□	□	□	□	□		■
Brush Guard		□	□	□	□		□
Fender Guard		□	□	□	□		□
CV Guards (Front and Rear)							□
Skid Plate							
Rear Bumper			□	□	□	□	
Brake and Taillight Protector			□	□	□	□	
Floor Mat	□	□	□	□	□	□	□
Front Hood Rack		□	□	□	□	□	□
HD Front Suspension	□	□	□	□	□	□	□
Vehicle Cover	□	□	□	□	□	□	□

XUV 550	XUV 550 S4	XUV 855D	XUV 855D S4	XUV 825i
		■		■
■	■	□	■	□
■	■	■	■	■
		□	□	□
		□		□
□	□	□	□	□
		□		□
□	□	□	□	□
□	□	□	□	□
□	□	■*	□	■*
		□		□
		□		□
		□		□
		□		□
		□		□
		□		□
		□		□
		□		□
■	■	■	■	■
		□		□
		□		□
■	■	■	■	■
□	□	□	□	
□	□	□		□
□	□	□	□	□
■	■	■	■	■
□	□	□	□	□
□	□	■	□	■
■	■	■	■	■
□	□	□	□	□
□	□	□	□	□
□	□	□	□	□
□	□	□	□	□
■	■	■	■	■
		□	□	□
□	□	□	□	□
□	□	□	□	□
		■	■	■
□	□	□		

	CX	TS	TX	TX Turf	TE	TH	HPX
Cargo Box							
Manual Lift Assist			■	■	■	■	
Cargo Box Power Lift	□	□	□	□	□	□	□
Cargo Box Side Wall Extension			□	□	□	□	
Cargo Box Divider Kit			□	□	□	□	
Cargo Box Tool Rack			□	□	□	□	
Cargo Box Fender Guard			□	□	□		
Cargo Box Bedliner		□					□
Cargo Box Rails							
Cargo Box Spray in Bedliner			■	■	■	■	
Cargo Box Mat	□		□	□	□	□	
Cargo Box Rubber Mat		□					□
Cargo Box Side Storage Box		□	□	□			□
Hitch							
Rear Hitch	□	□			□	□	□
Hitch Ball	□	□	□	□	□	□	□
Rear Receiver Hitch	□	□	□	□	□	□	□
Drawbar	□	□	□	□	□	□	□
Front Receiver Hitch		□	□		□		□
Blades							
66 Blade (1.68 m)							
72 Blade (1.83 m)		□	□	□	□	□	□
72 V-Blade (1.83 m)		□	□	□	□	□	□
Tyres							
Cayman LS (Lawn & Street)	□						
Turf		□	□	□	□	□	□
Directional Turf							
Cayman AT (All Terrain)		□	□			□	
Cayman KT (Knobby)		□				□	
Cayman XT (Extrem Terrain)			□				
HPAP (High Performance All Purpose)							
HPAT (Aggressive Tread)							
Terra-Hawk AT (All Terrain)							
Ancla M-T (Extrem Terrain)							
Maxxis Big Horn 2.0 Radials							
Other accessories							
Winch		□	□	□	□	□	□
Back-Up Alarm	□	□	□	□	■	□	□
Bucket Holder			□	□	□	□	
High Capacity Alternator Kit (55 Amp)	□	□	□			□	
Horn Kit	□	□	□	□	□	□	□
Tyre Chains	□						
Speedometer							
Seat Cover	□	□	□	□	□	□	□

■ Standard □ Optional * Mirrors are optional on the Standard OPS

XUV 550	XUV 550 S4	XUV 855D	XUV 855D S4	XUV 825i
		■	■	■
□	□	□	□	□
□	□	□	□	□
		□	□	□
		□	□	□
		□	□	□
□	□			
		■	■	■
□	□	□	□	□
□	□	□	□	□
□	□	□	□	□
■	■	■	■	■
□	□	□	□	□
□	□	■		
□	□			
		□	□	□
		□	□	□
		□	□	□
□	□			
□	□	□	□	□
□	□	□	□	□
□	□	□	□	□
□	□	■	■	■
□	□			
□	□			
□	□			

CX

Work Series

CX

Engine	
Type	286 cc, 1-Cylinder, 4-Cycle Petrol
Power kW (hp) @min ⁻¹	5.7 (7.8) @ 3300 98 / 67 / EC
Cooling System	Air
Fuel Tank, litres	11.4
Power Steering	NA
4-Wheel Drive	No
Drive System	
Type	CVT (Continuously Variable Transmission)
Ground Speed, km/h	0–24 Forward
Differential Lock	Standard, Hand-Operated
Brakes	Wet Disc in Transaxle
Suspension, Front	Independent, Single A-Arm
Suspension, Rear	Triple-Rate Spring-Over-Shock
Suspension Travel, mm	82 Front & 89 Rear
Dimensions	
Dimensions (W x L x H), mm	1245 x 2494 x 1118
Weight (Including Fluids), kg	312
Towing Capacity, kg	272
Payload Capacity, kg	363
Ground Clearance	
	Under Transaxle: 178 Under Foot Platform: 122
Deluxe Cargo Box	
Type / Material	High-Density Cross-Linked Polyethylene
Dimensions (L x W x D), mm	734 x 970 x 198
Volume, litres	140
Capacity, kg	181
Tyres	
Front	20 x 8.5–8, 4 PR Cayman LS
Rear	20 x 10–8, 4 PR Cayman LS
Colours	Green & Yellow
Seating Capacity	2

T-SERIES

Work Series

TS**TX/TX Turf**

351 cc, 1-Cylinder, 4-Cycle Petrol	675 cc / 401 cc, 2-Cylinder / 1-Cylinder, 4-Cycle Petrol
7.1 (9.7) @ 3300 98 / 67 / EC	12.5 (16.8) @ 3200 / 8 (10.9) @ 3250 98 / 67 / EC
Air	Air
18.9	18.9
NA	NA
No	No
CVT (Continuously Variable Transmission)	CVT (Continuously Variable Transmission)
0–32 Forward	0–32 Forward / 0–25 Forward
Standard, Hand-Operated	Standard, Hand-Operated
Wet Disc in Transaxle	All-Wheel Hydraulic Disc
Independent Spring-Over-Shock, Single A-Arm	Independent Spring-Over-Shock, Single A-Arm
Two High-Flotation Tyres, Low Pressure Tyres (Solid Axle)	Semi-Independent Coil-Over-Shock
127 Front	127 Front & 76 Rear
1525 x 2746 x 1108	1525 x 2847 x 1108 / 1525 x 2847 x 1209
415	508 / 501
408	454
408	454
Under Transaxle: 152 Under Foot Platform: 250	Under Transaxle: 145 Under Foot Platform: 270
16 Gauge Steel	Deluxe (Polypropylene Side Panels and Tailgate; Steel Floor and Load Guard)
1003 x 1245 x 229	1143 x 1320 x 305
290	460
227	272
22.5 x 10–8, 4 PR Cayman KT (Knobby) 22.5 x 10–8, 4 PR Cayman Turf 22.5 x 10–8, 4 PR Cayman AT (All Terrain)	22 x 9.5–10, 4 PR Cayman AT (All Terrain – Only Available on TX) 22 x 9.5–10, 4 PR Cayman Turf 22 x 9.5–10, 4 PR Cayman XT (Xtreme Terrain – Only Available on TX)
25 x 12–9, 4 PR Cayman KT (Knobby) 25 x 12–9, 4 PR Cayman Turf 25 x 13–9, 4 PR Cayman AT (All Terrain)	24 x 10.5–10, 4 PR Cayman AT (All Terrain – Only Available on TX) 24 x 12–10, 4 PR Cayman Turf 24 x 12–10, 4 PR Cayman XT (Xtreme Terrain – Only Available on TX)
Green & Yellow	Green & Yellow
2	2

TE**TH 6x4**

48 VDC Separately Exited, Electric	854 cc, 3-Cylinder, 4-Cycle, Diesel
48 V with 8 Trojan T-145 Batteries	13.6 (18.5) @ 3400 ECE-R24
NA	Liquid
NA	18.9
NA	NA
No	Yes
NA	CVT (Continuously Variable Transmission)
0–24 Forward	0–32 Forward
	Standard, Hand-Operated
Dual Rear Wheel Mechanical Drum	Wet Disc in Transaxle
Independent Spring-Over-Shock, Single A-Arm	Independent Spring-Over-Shock, Single A-Arm
Two High-Flotation Tyres, Low Pressure Tyres (Solid Axle)	Two High-Flotation Tyres, Low Pressure Tyres (Solid Axle)
127 Front	127 Front
1525 x 2728 x 1130	1525 x 2754 x 1108
667 w / Batteries	630
273	726
408	726
Under Foot Platform: 185	Under Transaxle: 165 Under Foot Platform: 216
Deluxe (Polypropylene Side Panels and Tailgate; Steel Floor and Load Guard)	Deluxe (Polypropylene Side Panels and Tailgate; Steel Floor and Load Guard)
1143 x 1320 x 305	1143 x 1320 x 305
460	460
272	544
22 x 9.5–10, 4 PR Cayman Turf	22.5 x 10–8, 4 PR Cayman KT (Knobby) 22.5 x 10–8, 4 PR Cayman Turf 22.5 x 10–8, 4 PR Cayman AT (All Terrain)
24 x 12–10, 4 PR Cayman Turf	25 x 12–9, 4 PR Cayman KT (Knobby) 25 x 12–9, 4 PR Cayman Turf 25 x 13–9, 4 PR Cayman AT (All Terrain)
Green & Yellow	Green & Yellow
2	2

HPX

Work Series

HPX

854 cc, 3-Cylinder, 4-Cycle, Diesel
13.6 (18.5) @ 3400 ECE-R24
Liquid
20.1
NA
Yes
2-speed CVT (Continuously Variable Transmission)
0–40 Forward
Auto-Locking (Front) / Positive Locking, Mechanically Actuated-Hand-Operated (Rear)
Front / Rear Hydraulic Disc
Independent with McPherson Strut
Coil-Over-Shock
131 Front & 90 Rear
1506 x 2870 x 1867
693
590
635
Under Transaxle: 152 Under Foot Platform: 305
Steel
1116 x 1244 x 229
320
454
24 x 9.5–10, 4 PR High Performance All Purpose (HPAP) 24 x 9.5–10, 4 PR High Performance All Terrain (HPAT) 24 x 9.5–10, 4 PR Turf
24 x 10.5–10, 4 PR High Performance All Purpose (HPAP) 24 x 12–10, 4 PR High Performance All Terrain (HPAT) 24 x 12–10, 4 PR Turf
Green & Yellow
2

PROGATOR

Work Series

ProGator

1115 cc, 3-Cylinder, Diesel
16.5 (22.1) @ 3200
Liquid
30.3
Yes
Yes, Optional
5-speed Synchromesh with Five Forward Gears and One Reverse Gear
0–31 Forward
Standard, Hand-Operated
Front / Rear Hydraulic Disc
Dual Leaf Springs and Shocks
Dual Leaf Springs and Shocks
–
1586 x 3285 x 1936
856 (Base Maschine, No Driver, No Passenger, No Loaded Attachment)
680
1535 (Payload Capacity for 4-Wheel Drive Version with Heavy Duty Suspension)
Under Transaxle: 168
Steel
1600 x 1283 x 267
550
907
23 x 10.50–12, 4 PR Industrial Trax 23 x 10.50–12, 4 PR Smooth Tyres
26 x 12.00–12, 4 PR MultiTrac C/S 26 x 14.00–12, 4 PR MultiTrac C/S 26 x 14.00–12, 4 PR Smooth Tyres 26 x 14.00–12, 4 PR Fairway Tyres
Green & Yellow
2

XUV-SERIES

Cross-Over Series

XUV 550**XUV 550 S4**

Engine			
Type	570 cc, 4-Cycle Petrol, Carb	Type	570 cc, 4-Cycle Petrol, Carb
Power kW (hp) @min ⁻¹	12.1 (16) @ 3600 98 / 67 / EC	Power kW (hp) @min ⁻¹	12.1 (16) @ 3600 98 / 67 / EC
Cooling System	Air	Cooling System	Air
Fuel Tank, litres	18.5	Fuel Tank, litres	18.5
Power Steering	NA	Power Steering	NA
4-Wheel Drive	Yes	4-Wheel Drive	Yes
Drive System			
Type	2-speed CVT (Continuously Variable Transmission) with Clutch Enclosure	Type	2-speed CVT (Continuously Variable Transmission) with Clutch Enclosure
Ground Speed, km/h	0–45* Forward	Ground Speed, km/h	0–45* Forward
Differential Lock	Limited Slip (Front) / Positive Locking, Mechanically Actuated – Hand-Operated (Rear)	Differential Lock	Limited Slip (Front) / Positive Locking, Mechanically Actuated – Hand-Operated (Rear)
Brakes	Front / Rear Hydraulic Disc	Brakes	Front / Rear Hydraulic Disc
Suspension, Front	Fully Independent Dual A-Arm with Adjustable Coils	Suspension, Front	Fully Independent Dual A-Arm with Adjustable Coils
Suspension, Rear	Independent; H-Arm and Control Link with Adjustable Coil-Over-Shock	Suspension, Rear	Independent; H-Arm and Control Link with Adjustable Coil-Over-Shock
Suspension Travel, mm	229 Front & 203 Rear	Suspension Travel, mm	229 Front & 203 Rear
Dimensions			
Dimensions (W x L x H), mm	1435 x 2921 x 1867	Dimensions (W x L x H), mm	1435 x 3708 x 1880
Weight (Including Fluids), kg	553	Weight (Including Fluids), kg	660
Towing Capacity, kg	499	Towing Capacity, kg	499
Payload Capacity, kg	363	Payload Capacity, kg	544
Ground Clearance	Under Transaxle: 267 Under Foot Platform: 267	Ground Clearance	Under Transaxle: 236 Under Foot Platform: 236
Deluxe Cargo Box			
Type / Material	High-Density Polyethylene Copolymer Composite	Type / Material	High-Density Polyethylene Copolymer Composite
Dimensions (L x W x D), mm	820 x 1209 x 297	Dimensions (L x W x D), mm	820 x 1209 x 297
Volume, litres	250	Volume, litres	250 (up to 370 with Convertible Rear Bench)
Capacity, kg	181	Capacity, kg	181
Tyres			
Front	25 x 8–12 Ancla XT 26 x 8–14 Big Horn Maxxis XT 25 x 8–12 Directional Turf	Front	25 x 8–12 Ancla XT 25 x 8–12 Directional Turf
Rear	25 x 10–12 Ancla XT 26 x 10–14 Big Horn Maxxis XT 25 x 10–12 Directional Turf	Rear	25 x 10–12 Ancla XT 25 x 10–12 Directional Turf
Colours	Green & Yellow	Colours	Green & Yellow
Seating Capacity	2	Seating Capacity	4

*If equipped with EEC road homologation kit, max. speed is limited to 40 km/h (25 mph).

XUV 855D**XUV 855D S4****XUV 825i**

854 cc, 3-Cylinder Diesel	854 cc, 3-Cylinder Diesel	812 cc, 3-Cylinder Petrol. Electronic Fuel Injection (EFI)
16.1 (21.9) @ 3400 ECE-R24	16.1 (21.9) @ 3400 ECE-R24	37 (50) @ 6000 J1349
Liquid	Liquid	Liquid
27.6	27.6	27.6
Standard	Standard	Standard
Yes	Yes	Yes
2-speed CVT (Continuously Variable Transmission) with Enclosed Clutch & Engine Braking 0–51* Forward	2-speed CVT (Continuously Variable Transmission) with Enclosed Clutch & Engine Braking 0–51* Forward	2-speed CVT (Continuously Variable Transmission) with Enclosed Clutch & Engine Braking 0–71 Forward
Auto-Locking (Front) / Positive Locking, Mechanically Actuated – Hand-Operated (Rear)	Auto-Locking (Front) / Positive Locking, Mechanically Actuated – Hand-Operated (Rear)	Auto-Locking (Front) / Positive Locking, Mechanically Actuated – Hand-Operated (Rear)
Front / Rear Hydraulic Disc	Front / Rear Hydraulic Disc	Front / Rear Hydraulic Disc
Fully Independent Dual A-Arm with Adjustable Coils	Fully Independent Dual A-Arm with Adjustable Coils	Fully Independent Dual A-Arm with Adjustable Coils
Fully Independent Dual A-Arm with Adjustable Coils & Sway Bar	Fully Independent Dual A-Arm with Adjustable Coils & Sway Bar	Fully Independent Dual A-Arm with Adjustable Coils & Sway Bar
203 Front & 229 Rear	203 Front & 229 Rear	203 Front & 229 Rear
1571 x 3021 x 1903	1571 x 3911 x 1903	1571 x 3021 x 1903
788	946	788
680	680	680
635	635	635
Under Transaxle: 267 Under Foot Platform: 311	Under Transaxle: 267 Under Foot Platform: 311	Under Transaxle: 267 Under Foot Platform: 311
Deluxe (Polypropylene Side Panels and Tailgate; Steel Floor and Load Guard)	Deluxe (Polypropylene Side Panels and Tailgate; Steel Floor and Load Guard)	Deluxe (Polypropylene Side Panels and Tailgate; Steel Floor and Load Guard)
1143 x 1320 x 305	1143 x 1320 x 305	1143 x 1320 x 305
460	460	460
454	454	454
26 x 9.00–12, 4 PR Ancla XT 25 x 9.00–12, 4 PR Terrahawk AT 27 x 9.00–14, 6 PR Big Horn Maxxis XT	25 x 9.00–12, 4 PR Terrahawk AT 27 x 9.00–14, 6 PR Big Horn Maxxis XT	26 x 9.00–12, 4 PR Ancla XT 25 x 9.00–12, 4 PR Terrahawk AT 27 x 9.00–14, 6 PR Big Horn Maxxis XT
26 x 11.00–12, 4 PR Ancla XT 25 x 11.00–12, 4 PR Terrahawk AT 27 x 11.00–14, 6 PR Big Horn Maxxis XT	25 x 11.00–12, 4PR Terrahawk AT 27 x 11.00–14, 6PR Big Horn Maxxis XT	26 x 11.00–12, 4 PR Ancla XT 25 x 11.00–12, 4 PR Terrahawk AT 27 x 11.00–14, 6 PR Big Horn Maxxis XT
Green & Yellow, Olive & Black	Olive & Black	Green & Yellow
2	4	2

Experience the Difference

Want quick, straightforward advice from an expert? Then look no further than your local John Deere dealer. He's always there for you – whether you need an original service part, a specialist diagnosis or “just” a bit of help from those in the know. As a designated quality expert, your dealer is always ready to support you. Because we know that incomparable products deserve incomparable service.

Experience it for yourself!



JOHN DEERE



John Deere Financial – A range of finance options as powerful as our products. Contact your John Deere dealer for a comprehensive range of finance options to suit the specific needs of your business. Not available in all countries please consult your local dealer.

This literature has been compiled for worldwide circulation. While general information, pictures and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options and accessories not available in all regions. Please contact your local dealer for details. John Deere reserves the right to change specification and design of products described in this literature without notice.

JohnDeere.com